

Revision Date: 10/15/2019

# SAFETY DATA SHEET

# 1. Identification

Product identifier: CLAIRE GERMICIDAL CLEANER COUNTRY FRESH SCENT -EPA# 706-65

Other means of identification

**SDS number:** RE1000008451

Recommended restrictions

Product use: Coating

Restrictions on use: Not known.

### Manufacturer/Importer/Distributor Information

### Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Integram Dr

Pacific, MO 63069

Telephone:

1-630-543-7600

Fax:

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

# **Hazard Classification**

#### **Physical Hazards**

Flammable aerosol Category 1

# **Health Hazards**

Serious Eye Damage/Eye Irritation Category 2A
Skin sensitizer Category 1B
Toxic to reproduction Category 2

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

**Hazard Statement:** Extremely flammable aerosol.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Precautionary Statements



Response:

Version: 1.0

Revision Date: 10/15/2019

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Specific treatment

(see on this label). Wash contaminated clothing before reuse.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Ethanol, 2-butoxy-	111-76-2	1 - <5%
Butane	106-97-8	1 - <5%
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)	64-02-8	1 - <5%
1-Hexadecanamine, N,N-dimethyl-, N-oxide	7128-91-8	1 - <3%
2-Propanol	67-63-0	1 - <5%
Propane	74-98-6	0.1 - <1%
Sulfuric acid monododecyl ester sodium salt (1:1)	151-21-3	0.1 - <1%
Sodium hydroxide (Na(OH))	1310-73-2	0.1 - <1%
Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides	85409-23-0	0.1 - <0.25%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

### Most important symptoms/effects, acute and delayed



Revision Date: 10/15/2019

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

SDS\_US - RE1000008451 3/15



Revision Date: 10/15/2019

# 7. Handling and storage

Precautions for safe handling:

Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Store locked up. Aerosol Level 1

# 8. Exposure controls/personal protection

### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure L	_imit Values	Source
Ethanol, 2-butoxy-	TWA	20 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Butane	REL		1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
2-Propanol	REL	400 ppm	980 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	400 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	500 ppm	1,225 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	400 ppm	980 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm	1,225 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	200 ppm		US. ACGIH Threshold Limit Values (2008)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
7 2 2	PEL		1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values (2008)
	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Hydrogen peroxide (H2O2)	REL	1 ppm	1.4 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1 ppm	1.4 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1 ppm	1.4 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1 ppm		US. ACGIH Threshold Limit Values (2008)
Acetic acid, phenylmethyl ester	TWA	10 ppm		US. ACGIH Threshold Limit Values (2008)



Revision Date: 10/15/2019

**Biological Limit Values** 

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)
2-Propanol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)

**Appropriate Engineering** 

Controls

No data available.

#### Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation

rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels

to an acceptable level.

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

Hand Protection: No data available.

Other: No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke. Do not handle until all safety precautions have been

read and understood. Obtain special instructions before use.

# 9. Physical and chemical properties

### **Appearance**

Physical state: liquid

Form: Spray Aerosol Color: No data available. Odor: No data available. **Odor threshold:** No data available. No data available. pH: Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Flash Point: -104.4 °C

**Evaporation rate:**No data available. **Flammability (solid, gas):**No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

**Vapor pressure:** 3,447.379 - 4,826.330 hPa (20 °C)

SDS US - RE1000008451



Revision Date: 10/15/2019

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.

No data available.

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

### Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 28,954.65 mg/kg

Dermal

**Product:** ATEmix: 11,909.42 mg/kg



Revision Date: 10/15/2019

Inhalation

**Product:** ATEmix: 412.37 mg/l

ATEmix: 103.09 mg/l

Repeated dose toxicity

**Product:** No data available.

Specified substance(s):

Ethanol, 2-butoxy- NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal

Experimental result, Key study

NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key

study

NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation

Experimental result, Key study

Butane LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

NOAEL (Rat(Female, Male), Oral, 103 Weeks): >= 500 mg/kg Oral Read-

across from supporting substance (structural analogue or surrogate), Key

Experimental result. Key study

Glycine, N,N'-1,2-

ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

LOAEL (Rat(Male), Inhalation, 1 - 5 d): 30 mg/m3 Inhalation Read-across

from supporting substance (structural analogue or surrogate), Key study

2-Propanol NOAEL (Rat, Inhalation, >= 104 Weeks): 5,000 ppm(m) Inhalation

Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Sulfuric acid NOAEL (Rat(Female, Male), Oral, 13 Weeks): 482 mg/kg Oral Experimental

monododecyl ester result, Supporting study

sodium salt (1:1) NOAEL (Rat(Female, Male), Oral, 2 yr): 0.15 %(m) Oral Experimental result,

Supporting study

**Skin Corrosion/Irritation** 

**Product:** No data available.

Specified substance(s):

Ethanol, 2-butoxy- in vivo (Rabbit): Irritating Experimental result, Key study

Glycine, N,N'-1,2ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) in vivo (Rabbit): Not irritant Experimental result, Key study

2-Propanol in vivo (Rabbit): Not Classified Experimental result, Key study

Sulfuric acid monododecyl ester sodium salt (1:1) in vivo (Rabbit): Irritating Experimental result, Key study

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Ethanol, 2-butoxy- Rabbit, 24 - 72 hrs: Irritating

2-Propanol Rabbit, 1 d: Irritating.

Sulfuric acid monododecyl ester sodium salt (1:1) Rabbit, 24 - 72 hrs: Irritating.



Revision Date: 10/15/2019

Sodium hydroxide Corrosive

(Na(OH)) Rabbit, 2 d: 10% Sodium Hydroxide- Category 1; 0.5% Sodium Hydroxide-

Slightly irritating to eyes

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Ethanol, 2-butoxy-Skin sensitization:, in vivo (Guinea pig): Non sensitising Glycine, N,N'-1,2-Skin sensitization:, in vivo (Guinea pig): Non sensitising

ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) 2-Propanol

Skin sensitization:, in vivo (Guinea pig): Non sensitising Sulfuric acid Skin sensitization:, in vivo (Guinea pig): Non sensitising

monododecyl ester sodium salt (1:1)

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

Product: No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** Product: No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.



Revision Date: 10/15/2019

Specified substance(s):

Ethanol, 2-butoxy- LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key

study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Glycine, N,N'-1,2-ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

LC 50 (Lepomis macrochirus, 96 h): 121 mg/l Experimental result, Key study NOAEL (Lepomis macrochirus, 96 h): 88 mg/l Experimental result, Key

study

2-Propanol LC 50 (Pimephales promelas, 96 h): 9,640 mg/l Experimental result, Key

study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Sulfuric acid monododecyl ester sodium salt (1:1) LC 50 (Pimephales promelas, 96 h): 29 mg/l Experimental result, Key study

Sodium hydroxide

(Na(OH))

LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 125 mg/l Mortality LC 50 (Gambusia affinis, 96 h): < 180 mg/l Experimental result, Supporting

study

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl] dimethyl, chlorides

EC 50 (96 h): < 10 mg/l

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Ethanol, 2-butoxy- EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Glycine, N,N'-1,2ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

EC 50 (Daphnia magna, 24 h): 610 mg/l Experimental result, Key study

2-Propanol LC 50 (Daphnia magna, 24 h): > 10,000 mg/l Experimental result, Key study

Sulfuric acid monododecyl ester sodium salt (1:1) LC 50 (Daphnia magna, 48 h): 1.8 mg/l Experimental result, Not specified

Sodium hydroxide

(Na(OH))

EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 34.59 - 47.13 mg/l

Intoxication

Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl] dimethyl, chlorides

EC 50: 0.015 mg/l

### Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.



Revision Date: 10/15/2019

Specified substance(s):

Ethanol, 2-butoxy-NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study

Glycine, N.N'-1.2ethanedivlbis[N-(carboxymethyl)-, sodium salt (1:4)

NOAEL (Danio rerio): >= 25.7 mg/l Read-across from supporting substance

(structural analogue or surrogate), Key study

Sulfuric acid monododecyl ester sodium salt (1:1)

NOAEL (Pimephales promelas): > 1.357 mg/l Experimental result, Key study

Quaternary ammonium compounds, C12-14alkyl[(ethylphenyl)methyl] dimethyl, chlorides

NOEC (28 d): 0.032 mg/l

**Aquatic Invertebrates** 

Product: No data available.

Specified substance(s):

Ethanol, 2-butoxy-EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study

EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study

Glycine, N,N'-1,2ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)

NOAEL (Daphnia magna): 25 mg/l Read-across from supporting substance

(structural analogue or surrogate), Key study

Sulfuric acid monododecyl ester sodium salt (1:1)

NOAEL (Ceriodaphnia dubia): 1.2 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

Product: No data available.

Specified substance(s):

Sulfuric acid monododecyl ester sodium salt (1:1)

EC 50 (Green algae (Selenastrum capricornutum), 48 h): 706 - 5,918 mg/l Mortality

Persistence and Degradability

**Biodegradation** 

Product: No data available.

Specified substance(s):

Ethanol, 2-butoxy-90.4 % Detected in water. Experimental result, Key study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Glycine, N,N'-1,2ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

90 - 100 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study

2-Propanol 53 % (5 d) Detected in water. Experimental result, Key study

100 % (385.5 h) Detected in water. Experimental result, Key study Propane

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

SDS US - RE1000008451

10/15



Revision Date: 10/15/2019

Sulfuric acid monododecyl ester sodium salt (1:1) 94 % (28 d) Detected in water. Experimental result, Supporting study

95 % Detected in water. Experimental result, Key study

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Glycine, N,N'-1,2- Lepomis macrochirus, Bioconcentration Factor (BCF): 1.8 Aquatic sediment

ethanediylbis[N- Experimental result, Key study

(carboxymethyl)-, sodium

salt (1:4)

Carp (Cyprinus carpio), Bioconcentration Factor (BCF): 50 (Flow through)

Sulfuric acid monododecyl ester sodium salt (1:1)

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

**Mobility in soil:** No data available.

Known or predicted distribution to environmental compartments

Ethanol, 2-butoxy
Butane

Glycine, N,N'-1,2
No data available.

No data available.

No data available.

ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

1-Hexadecanamine, N,N- No data available.

dimethyl-, N-oxide

2-Propanol No data available.
Propane No data available.
Sulfuric acid monododecyl No data available.

ester sodium salt (1:1)

Sodium hydroxide (Na(OH)) No data available. Quaternary ammonium No data available.

compounds, C12-14alkyl[(ethylphenyl)methyl]di

methyl, chlorides

Other adverse effects: No data available.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.



Revision Date: 10/15/2019

# 14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): – EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

# 15. Regulatory information

### **US Federal Regulations**

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

### **CERCLA Hazardous Substance List (40 CFR 302.4):**

Chemical IdentityReportable quantityButanelbs. 1002-Propanollbs. 100

Propane lbs. 100



Revision Date: 10/15/2019

Sodium hydroxide

(Na(OH))

lbs. 1000

Ammonium hydroxide

lbs. 1000

((NH4)(OH))

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# **Hazard categories**

Fire Hazard

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

Flammable aerosol

Serious Eye Damage/Eye Irritation

Skin sensitizer
Toxic to reproduction

# **SARA 302 Extremely Hazardous Substance**

**Reportable** 

<u>Chemical Identity</u> <u>quantity</u> <u>Threshold Planning Quantity</u>

Hydrogen peroxide lbs. 1000 lbs. 1000

(H2O2)

### **SARA 304 Emergency Release Notification**

Chemical Idea	<u>ntity</u>	Reportable quantity
Ethanol, 2-but		
Butane		lbs. 100
2-Propanol		lbs. 100
Propane		lbs. 100
Sodium	hydroxide	lbs. 1000
(Na(OH))		
Ammonium	hydroxide	lbs. 1000
((NH4)(OH))		
Hydrogen	peroxide	
(H2O2)		

### SARA 311/312 Hazardous Chemical

OANA 31 1/312 Hazardous Chennica	l!
Chemical Identity	Threshold Planning Quantity
Hydrogen peroxide (H2O2)	lbs
Ethanol, 2-butoxy-	10000 lbs
Butane	10000 lbs
Glycine, N,N'-1,2-ethanediylbis[N-	10000 lbs
(carboxymethyl)-, sodium salt	
(1:4)	
1-Hexadecanamine, N,N-	10000 lbs
dimethyl-, N-oxide	
2-Propanol	10000 lbs
Propane	10000 lbs
Sulfuric acid monododecyl ester	10000 lbs
sodium salt (1:1)	
Sodium hydroxide (Na(OH))	10000 lbs
Quaternary ammonium	10000 lbs
compounds, C12-14-	
alkyl[(ethylphenyl)methyl]dimethyl,	
chlorides	
Ammonium hydroxide	10000 lbs
((NH4)(OH))	
Acetic acid, phenylmethyl ester	10000 lbs



Revision Date: 10/15/2019

# SARA 313 (TRI Reporting)

Reporting threshold for other users N230 lbs

Reporting threshold for manufacturing and processing
N230 lbs.

Chemical Identity Ethanol, 2-butoxy-2-Propanol

lbs lbs.
(r) Accidental Release Prevention (40 CF

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

# **US. New Jersey Worker and Community Right-to-Know Act**

# **Chemical Identity**

Ethanol, 2-butoxy-Butane 2-Propanol

#### **US. Massachusetts RTK - Substance List**

# **Chemical Identity**

Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3) Hydrogen peroxide (H2O2)

# US. Pennsylvania RTK - Hazardous Substances

### **Chemical Identity**

Ethanol, 2-butoxy-Butane 2-Propanol

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

### International regulations

### Montreal protocol

Not applicable

#### Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

# **Kyoto protocol**

Not applicable



Revision Date: 10/15/2019

**Inventory Status:** 

Australia AICS: Not in compliance with the inventory.

Canada DSL Inventory List: Not in compliance with the inventory.

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

China Inv. Existing Chemical Substances: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Canada NDSL Inventory: On or in compliance with the inventory

Philippines PICCS: Not in compliance with the inventory.

US TSCA Inventory: On or in compliance with the inventory

New Zealand Inventory of Chemicals: Not in compliance with the inventory.

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

Ontario Inventory: Not in compliance with the inventory.

Taiwan Chemical Substance Inventory: Not in compliance with the inventory.

### 16.Other information, including date of preparation or last revision

**Issue Date:** 10/15/2019

**Revision Information:** No data available.

Version #: 1.0

**Further Information:** FIFRA: This chemical is a pesticide product registered by the United States

Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.